

IN THE CLAIMS

The embodiments with regard to which a right of privilege is claimed are defined as follows:

1. A dispenser (20) comprising:

- 5 – a container (24) and a lid (22) attached to said container (24);
- an inner box (26) inverted in said container (24) and defining a compartment (27) for holding a stack of towelettes (30), said inner box (26) having a bottom (31) and a serrated opening (29) made in said bottom (31) for the removal of said towelettes (30),
- 10 – a watertight means of attaching said container (24) and said lid (22) in a closed position, the opening of said lid (22) and the passage of said towelettes (30) through said serrated opening (29) making it possible to use towelettes kept in a controlled environment by pulling them.

- 15 2. The dispenser (20) as claimed in Claim 1 comprising a second box (25) in said lid (22), said second box (25) comprising an elongated opening (60) [in the] lid compartment (25) for dispensing a second type of towelettes (34), said inner box (26) and said second box (25) occupying, in a superposed position, a space allowing for a closed position of said lid.

20

3. The dispenser (20) as claimed in Claim 2 of which said second box is removable.

4. The dispenser as claimed in Claim 1 in which said means of watertightness is a rim of the lower part (38) which forms three male sides around said container (24) and a

rim of the upper part (36) which forms three females sides designed to cover said rim of the lower part (38), a hinge (40) which partly covers a fourth side, said fourth side comprising, in the lower part, a pair of short extensions of said male sides and, in the upper part, a thickening of the wall designed to fill in said short extensions.

5

5. The dispenser (20) as claimed in Claim 1 in which said inner box (26) comprises a partition (52) which defines two compartments: a compartment (28) comprising a stack of towelettes of one type and a neighboring compartment (32) comprising a stack of towelettes of a complementary type, each of said compartments having an elongated opening (29, 33) for removing said towelettes.

10

6. The dispenser as claimed in Claim 1 in which said inner box (26) is removable and is designed to be removed and put back in in order to insert one or more stacks of said towelettes.

15

7. The dispenser as claimed in Claim 6 in which said removable inner box is designed to make possible a single loading of said stacks of said towelettes.

8. The dispenser as claimed in Claim 7, in addition comprising means of sealing said removable inner box (26) in place, the top of said inner box (26) being sealed against the bottom of said container (24).

20

9. The dispenser as claimed in Claim 8 in which said means of sealing comprise the use of a microwave oven which makes possible the fusion of said top against said bottom.

5 10. The dispenser as claimed in Claim 6 in which a reversible cartridge (62) of a lesser thickness than the thickness of said lid is designed to be placed on either side in said lid.

11. A pocket size dispenser (20) comprising:

- 10 – a container (24) and a lid (22) attached to said container (24),
- an inner box (26) inverted in said container (24) and defining a compartment (27) for holding a stack of moist towelettes (30), which is of the length and width of a towelette, said inner box (26) comprising a bottom (31) which has a length and a width, said length of said bottom corresponding to said width of a towelette, said
- 15 dispenser (20) characterized by:
- said bottom (31) comprising a serrated opening which defines a slot of an approximately straight line, with corrugations, located centrally with respect to said width and along the whole distance of said length,
 - a watertight means of attaching said container (24) and said lid (22) in a closed
- 20 position in a controlled environment, the opening of said lid (22) and the passage of said towelettes (30) through said slot, by pulling them, making it possible to dispense said moist towelettes one by one.

12. The slot as claimed in Claim 11 comprising a length and width, crests and troughs and an amplitude between a crest and a trough, the number of crests for pocket size being 2 to 7, said amplitude being in a ratio of 1 to 5 plus or minus 50%, that is between 1:2 and 1:8, and said width from 1.5 to 2.5 times the thickness of a towelette.

5

10

15